# SAFETY DATA SHEET ACCORDING TO REGULATION (EC) 1907/2006



Product name: CalMag Pro

Creation date: 10.04.2024, Revision: 29.10.2024, Version: 1.3

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product name

CalMag Pro

Product code

[v.1.1], A33485, A33211, A33212, A33213, A33214, A33220

UFI:

8UXK-ACK0-W002-Y798



https://my.chemius.net/p/uG1lI4/en/pd/er

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Fertiliser.

Uses advised against

Do not use for purposes other than those prescribed.

1.3 Details of the supplier of the safety data sheet

Supplier

Bertels B.V. Ommelpad 2 6035 PC Ospel, The Netherlands 31 (0)495 63 15 59 info@bertelsholland.com

1.4 Emergency Telephone Number

**Emergency** 

111

Supplier

31 (0)495 63 15 59

## **SECTION 2: HAZARDS IDENTIFICATION**

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Eye Dam. 1; H318 Causes serious eye damage.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)



## Signal word: DANGER

H318 Causes serious eye damage.

EUH208 Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

P102 Keep out of reach of children.

P280 Wear eye protection.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/physician.

P501 Dispose of contents/container in accordance with national regulation.

Contains:

Calcium nitrate

#### 2.3 Other hazards

### PBT/vPvB

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### Endocrine disrupting properties

The mixture does not contain substances that are included in the list of substances with endocrine disrupting properties established in accordance with Article 59 of the REACH Regulation, in a concentration  $\geq 0.1$  w/w %. The mixture does not contain substances identified as substances with endocrine disrupting properties according to the criteria of Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605, in a concentration  $\geq 0.1$  w/w %.

Additional information

No information.

# **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.1 Substances

For mixtures see 3.2.

### 3.2 Mixtures

Name	CAS EC Index Reach	%	Classification according to Regulation (EC) No 1272/2008 (CLP)	Specific Concentration Limits	Notes for substances
Calcium nitrate	10124-37-5 233-332-1 - 01-2119495093-35	15-20	Ox. Sol. 3; H272 Acute Tox. 4; H302 Eye Dam. 1; H318	/	/
reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one and 2- methyl-2H-isothiazol-3- one (3:1)	55965-84-9 611-341-5 613-167-00-5	<0.01	Acute Tox. 3; H301 Acute Tox. 2; H310 Skin Corr. 1C; H314 Skin Sens. 1A; H317 Eye Dam. 1; H318 Acute Tox. 2; H330 Aquatic Acute 1; H400; M = 100 Aquatic Chronic 1; H410; M = 100 EUH071	Skin Corr. 1C; H314; C ≥ 0.6% Skin Irrit. 2; H315; 0.06% ≤ C < 0.6% Skin Sens. 1A; H317; C ≥ 0.0015% Eye Dam. 1; H318; C ≥ 0.6% Eye Irrit. 2; H319; 0.06% ≤ C < 0.6%	В

Notes for substances

	Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations.
В	In Part 3 entries with Note B have a general designation of the following type: "nitric acid %".
	In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.

#### **SECTION 4: FIRST AID MEASURES**

### 4.1 Description of first aid measures

#### General notes

Never give anything by mouth to an unconscious person. Place patient in recovery position and ensure airway patency. When in doubt or if feeling unwell seek medical assistance. Show the safety data sheet and label to the physician. No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. When it is suspected, that there may still be harmful vapours/fumes present in the air, respiratory protection (mask; self contained breathing apparatus) must be used. Wash contaminated clothing with water before removing or use gloves.

#### Following inhalation

Remove patient to fresh air - move out of dangerous area. In case of unconsciousness bring patient into stable side position and seek medical attention. If breathing is irregular or respiratory arrest occurs provide artificial respiration. Keep at rest in a position comfortable for breathing. Seek medical help immediately.

### Following skin contact

Take off all contaminated clothing. Areas of the body that have come into contact with the product must be rinsed with water. Immediately obtain professional medical help!

#### Following eve contact

Immediately flush eyes with running water, keeping eyelids apart. After 5 minutes of rinsing, remove contact lenses, if present, and continue rinsing. Consult a physician immediately!

### Following ingestion

Do not induce vomiting! Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person. Immediately consult a doctor. Show the physician the safety data sheet or label.

### 4.2 Most important symptoms and effects, both acute and delayed

#### Following inhalation

Excessive exposure to spray mist, fog, or vapours may cause respiratory irritation.

### Following skin contact

Skin burns: Signs/symptoms may include localised redness, swelling, itching, dryness, blistering. May cause sensitisation by skin contact (itching, redness, rashes).

#### Following eye contact

Redness, pain, burning sensation, tearing, can cause permanent damage to the eyes.

### Following ingestion

May cause nausea/vomiting and diarrhea. May cause abdominal discomfort. If ingested, may cause burns of the mouth and throat, as well as perforation of the esophagus and stomach.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: FIREFIGHTING MEASURES**

5.1 Extinguishing media

Suitable extinguishing media

Carbon dioxide. Dry chemical powder. Water spray. Alcohol resistant foam.

Unsuitable extinguishing media

Full water jet.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

In case of a fire toxic gases can be generated; do not inhale gases/smoke.

#### 5.3 Advice for firefighters

Protective actions

In case of fire or heating do not breathe fumes/vapours. No action shall be taken involving any personal risk or without suitable training. Cool containers at risk with water spray. If possible remove containers from endangered area.

Special protective equipment for fire-fighters

Firefighters should wear appropriate protective clothing for firefighters (including helmets, protective boots and gloves) (BS EN 469) and self-contained breathing apparatus (SCBA) with a full face-piece (BS EN 137).

Additional information

Contaminated firefighting water and fire residues must be disposed of in accordance with the local regulations.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Protective equipment

No information.

Precautionary measures

Ensure adequate ventilation.

**Emergency procedures** 

No action shall be taken involving any personal risk or without suitable training. Prevent access to unprotected personnel. Evacuate the danger zone. Do not breathe vapour or mist. Avoid contact with skin, eyes and clothing.

For emergency responders

Use personal protective equipment.

#### 6.2 Environmental precautions

In case of release into the environment, inform the relevant authorities.

6.3 Methods and material for containment and cleaning up

For containment

Stem the spill if this does not pose risks.

For cleaning up

Absorb product (with inert material), collect it in special container and dispose it to a licensed hazardous-waste disposal contractor. Prevent release into the sewer, water, basements or confined areas. Ventilate the premises. Clean contaminated area with plenty of water.

Other information

No information.

#### 6.4 Reference to other sections

See also sections 8 and 13.

# **SECTION 7: HANDLING AND STORAGE**

7.1 Precautions for safe handling

Protective measures

Measures to prevent fire

Ensure adequate ventilation.

Measures to prevent aerosol and dust generation

Use general or local exhaust ventilation to prevent inhaling vapours and aerosols.

Measures to protect the environment

Do not discharge into drains, surface water and soil. After use immediately close container tightly.

Other measures

No information.

Advice on general occupational hygiene

Use good personal hygiene practices – wash hands at breaks and when done working with material. Do not eat, drink or smoke while working. Do not breathe vapours/mist. Avoid contact with skin, eyes and clothes. Remove contaminated clothes and wash them before reuse. Wear suitable protective equipment; see Section 8.

#### 7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep in a cool, dry and well ventilated place. Protect from open fire, heat and direct sunlight. Keep away from food, drink and animal feeding stuffs.

Packaging materials

Store only in original container.

Requirements for storage rooms and vessels

Close opened containers after use. Put the containers upright to prevent from leaking. Do not store in unlabelled containers.

Storage temperature

5-35°C

Storage class

No information.

Further information on storage conditions

No information.

#### 7.3 Specific end use(s)

Recommendations

See identified uses in Section 1.2.

Industrial sector specific solutions

No information.

## **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### 8.1 Control parameters

Occupational Exposure limit values

Name	mg/m <sup>3</sup>	ml/m³	Short-term value mg/m <sup>3</sup>	Short-term value ml/m <sup>3</sup>	Remark	Biological Tolerance Values
reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one and 2-methyl-2H- isothiazol-3-one (3:1)	0.05	/	/	/	8 h	/

Information on monitoring procedures

BS EN 14042:2003 Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents. BS EN 689:2018 Workplace exposure. Measurement of exposure by inhalation to chemical agents. Strategy for testing compliance with occupational exposure limit values. BS EN 482:2021 Workplace exposure. Procedures for the determination of the concentration of chemical agents. Basic performance requirements.

**DNEL/DMEL values** 

For product

No information.

For components

Name	Туре	Exposure route	exp. frequency	Remark	Value
reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one and 2- methyl-2H-isothiazol-3- one (3:1)	Worker	inhalation	long term local effects	/	0.02 mg/m <sup>3</sup>
reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one and 2- methyl-2H-isothiazol-3- one (3:1)	Worker	inhalation	short term local effects	/	0.04 mg/m³
reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one and 2- methyl-2H-isothiazol-3- one (3:1)	Consumer	inhalation	long term local effects	/	0.02 mg/m³
reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one and 2- methyl-2H-isothiazol-3- one (3:1)	Consumer	inhalation	short term local effects	/	0.04 mg/m³
reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one and 2- methyl-2H-isothiazol-3- one (3:1)	Consumer	oral	long term systemic effects	/	0.09 mg/kg bw/day
reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one and 2- methyl-2H-isothiazol-3- one (3:1)	Consumer	oral	short term systemic effects	/	0.11 mg/kg bw/day

**PNEC** values

For product

No information.

For components

Name	Exposure route	Remark	Value
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	fresh water	/	3.39 µg/l
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	water, intermittent release	fresh water	3.39 µg/L
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	marine water	/	3.39 µg/l
reaction mass of 5-chloro-2-methyl- 2H-isothiazol-3-one and 2-methyl-2H- isothiazol-3-one (3:1)	water, intermittent release	marine water	3.39 µg/l
reaction mass of 5-chloro-2-methyl- 2H-isothiazol-3-one and 2-methyl-2H- isothiazol-3-one (3:1)	water treatment plant	/	0.23 mg/L
reaction mass of 5-chloro-2-methyl- 2H-isothiazol-3-one and 2-methyl-2H- isothiazol-3-one (3:1)	fresh water sediment	dry weight	0.027 mg/kg
reaction mass of 5-chloro-2-methyl- 2H-isothiazol-3-one and 2-methyl-2H- isothiazol-3-one (3:1)	marine water sediment	dry weight	0.027 mg/kg

reaction mass of 5-chloro-2-methyl- 2H-isothiazol-3-one and 2-methyl-2H-	soil	dry weight	0.01 mg/kg
isothiazol-3-one (3:1)			

#### 8.2 Exposure controls

Appropriate engineering control

Substance/mixture related measures to prevent exposure during identified uses

Use good personal hygiene practices – wash hands at breaks and when done working with material. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes and clothes. Do not eat, drink or smoke while working. Do not breathe vapours/aerosols.

Structural measures to prevent exposure

No information.

Organisational measures to prevent exposure

Remove all contaminated clothes immediately and wash them before reuse. Keep eyewash bottles or personal eyewash units and emergency showers available.

Technical measures to prevent exposure

Provide good ventilation and local exhaust in areas with increased concentration. Keep away from food, drink and animal feeding stuffs.

Personal protective equipment

Eye and face protection

Wear tight fitting protective goggles and/or face protection (EN 166).

Hand protection

Protective gloves (EN ISO 374-1:2016). Observe the manufacturer's instructions regarding the use, storage, maintenance and replacement of gloves. In case of damage or at the first signs of wear and tear, change the gloves immediately. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. The penetration time is determined by the protective glove manufacturer and must be observed.

Appropriate materials

Skin protection

Cotton protective clothing and shoes that cover the entire foot (EN ISO 20345:2022). At high risk of skin exposure chemical suits (BS EN 13034:2005+A1:2009) and boots may be required (BS EN ISO 20345:2022+A1:2024).

Respiratory protection

In case of insufficient ventilation wear suitable respiratory protection. Wear suitable protective breathing mask (EN 136) with filter A2-P2 (EN 14387).

Thermal hazards

No information.

Environmental exposure controls

Substance/mixture related measures to prevent exposure

No information.

Instruction measures to prevent exposure

No information.

Organisational measures to prevent exposure

No information.

Technical measures to prevent exposure

Do not allow product to reach drains, sewage systems or ground water.

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

9.1 Information on basic physical and chemical properties

Important health, safety and environmental information

Physical state	liquid
Shape	No information.
Colour	blue

Odour	odourless
Odour threshold	No information.
Melting/freezing point or softening point	No information.
Boiling point or initial boiling point and boiling range	No information.
Flammability	No information.
Lower and upper explosion limit	No information.
Flash point	No information.
Auto-ignition temperature	No information.
Decomposition temperature	No information.
рН	4.1 — 4.7 at 20 °C, conc. 100 %
Viscosity	No information.
Solubility	No information.
Partition coefficient n-octanol/water (log value)	No information.
Vapour pressure	No information.
Density	1.22 — 1.28 g/cm <sup>3</sup>
Relative vapour/gas density	No information.
Particle characteristics	No information.

## 9.2 Other information

Information with regard to physical hazard classes

No information.

Other safety characteristics

No information.

# **SECTION 10: STABILITY AND REACTIVITY**

10.1 Reactivity

No information.

10.2 Chemical stability

Product is stable under normal conditions of use, recommended handling and storage conditions.

10.3 Possibility of hazardous reactions

No information.

10.4 Conditions to avoid

Protect from heat, direct sunlight, open fire, sparks.

10.5 Incompatible materials

No information.

10.6 Hazardous decomposition products

Under normal use conditions no hazardous decomposition products are expected. In case of fire/explosion vapours/gases that pose a health hazard are released.

# **SECTION 11: TOXICOLOGICAL INFORMATION**

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
  - (a) Acute toxicity

For components

Name	Exposure route	Туре	Species	Time	Value	Method	Remark
Calcium nitrate	oral	LD <sub>50</sub>	rat	/	3900 mg/kg	/	/
Calcium nitrate	inhalation	LC <sub>50</sub>	rat	/	≥ 50 mg/kg	/	/
Calcium nitrate	dermal	LD <sub>50</sub>	rabbit	/	≥ 5000 mg/kg	/	/
reaction mass of 5-chloro-2- methyl-2H- isothiazol-3-one and 2-methyl-2H- isothiazol-3-one (3:1)	oral	LD <sub>50</sub>	rat	/	ca. 3310 mg/kg	/	/
reaction mass of 5-chloro-2- methyl-2H- isothiazol-3-one and 2-methyl-2H- isothiazol-3-one (3:1)	dermal	LD <sub>50</sub>	rabbit	/	> 5000 mg/kg	/	/

Additional information

The product is not classified as acutely toxic.

(b) Skin corrosion/irritation

For components

Name	Species	Time	result	Method	Remark
reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one and 2- methyl-2H-isothiazol-3- one (3:1)	/	4 h	/	/	/

(c) Serious eye damage/irritation

For components

Name	Exposure route	Species	Time	result	Method	Remark
reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one and 2-methyl-2H- isothiazol-3-one (3:1)	/	rabbit	/	Corrosive.	/	/

Additional information

Causes serious eye damage.

(d) Respiratory or skin sensitisation

For components

Name	Exposure route	Species	Time	result	Method	Remark
reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one and 2-methyl-2H- isothiazol-3-one (3:1)	dermal	/	/	May cause sensitisation by skin contact.	/	/

Additional information

It contains at least one ingredient that can cause sensitisation. Can cause allergic reaction. May cause an allergic skin reaction.

(e) (Germ cell) mutagenicity

For components

Name	Туре	Species	Time	result	Method	Remark
reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one and 2-methyl-2H- isothiazol-3-one (3:1)	/	/	/	Not mutagenic.	/	/

# (f) Carcinogenicity

For components

Name	Exposure route	Туре	Species	Time	Value	result	Method	Remark
reaction mass of 5-chloro-2- methyl-2H- isothiazol-3- one and 2- methyl-2H- isothiazol-3- one (3:1)	/	/	/	/	/	Not carcinogenic.	/	/

# (g) Reproductive toxicity

For components

Name	Reproductive toxicity type	Туре	Species	Time	Value	result	Method	Remark
reaction mass of 5-chloro-2- methyl-2H- isothiazol-3- one and 2- methyl-2H- isothiazol-3- one (3:1)	/	/	/	/	/	Not toxic for reproduction.	/	/

Summary of evaluation of the CMR properties

The product is not classified as carcinogenic, mutagenic or toxic for reproduction.

(h) STOT-single exposure

For components

Name	Exposure route	Туре	Species	Time	Exposure	organ	Value	result	Method	Remark
reaction mass of 5- chloro-2- methyl-2H- isothiazol-3- one and 2- methyl-2H- isothiazol-3- one (3:1)		/	/	/	/	/	/	Negative.	/	/

# Additional information

STOT SE (single exposure): Not classified.

(i) STOT-repeated exposure

For components

Name	Exposure route	Туре	Species	Time	Exposure	organ	Value	result	Method	Remark
reaction mass of 5- chloro-2- methyl-2H- isothiazol-3- one and 2- methyl-2H- isothiazol-3- one (3:1)		-	/	/	/	/	/	Excessive exposure may cause irritation of the upper respiratory tract (nose and throat).	/	/

Additional information

STOT RE (repeated exposure): Not classified.

(j) Aspiration hazard

For components

Name	result	Method	Remark
2H-isothiazol-3-one and 2-methyl-2H-	During ingestion or vomiting, inhalation into the lungs may occur, which can cause tissue damage or lung injury.	/	/

Additional information

Aspiration hazard: Not classified.

Symptoms related to the physical, chemical and toxicological characteristics

No information.

Interactive effects

No information.

11.2 Information on other hazards

Endocrine disrupting properties

The product does not contain substances with the potential for endocrine disorders.

Other information

No information.

# **SECTION 12: ECOLOGICAL INFORMATION**

12.1 Toxicity

Acute (short-term) toxicity

No information.

Chronic (long-term) toxicity

No information.

12.2 Persistence and degradability

Abiotic degradation, physical- and photo-chemical elimination

No information.

Biodegradation

No information.

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log value)

No information.

Bioconcentration factor (BCF)

No information.

12.4 Mobility in soil

Known or predicted distribution to environmental compartments

No information.

Surface tension

No information.

Adsorption/Desorption

No information.

#### 12.5 Results of PBT and vPvB assessment

No evaluation.

### 12.6 Endocrine disrupting properties

The product does not contain substances with the potential for endocrine disorders.

#### 12.7 Other adverse effects

No information.

### 12.8 Additional information

For product

Product is not classified as dangerous for environment. Do not allow to reach ground water, water courses or sewage system.

## **SECTION 13: DISPOSAL CONSIDERATIONS**

#### 13.1 Waste treatment methods

Product / Packaging disposal

Waste chemical

Do not allow product to reach drains/sewage systems. Disposal must be made according to official regulations: deliver it to authorised collector/remover/transformer of hazardous waste.

Waste codes / waste designations according to LoW

02 01 08\* - agrochemical waste containing dangerous substances

**Packaging** 

Deliver completely emptied containers to approved waste disposal authorities. Uncleaned containers are classified as hazardous waste - they should be handled in the same manner as the contents.

Waste codes / waste designations according to LoW

15 01 10\* - packaging containing residues of or contaminated by dangerous substances

Waste treatment-relevant information

No information.

Sewage disposal-relevant information

No information.

Other disposal recommendations

No information.

## **SECTION 14: TRANSPORT INFORMATION**

ADR/RID	IMDG	IATA	ADN
14.1 UN number or ID number			
Not dangerous according to transport regulations.			
14.2 UN proper shipping name			
Not given/not applicable	Not given/not applicable	Not given/not applicable	Not given/not applicable
14.3 Transport hazard class(es)			

Not given/not applicable	Not given/not applicable	Not given/not applicable	Not given/not applicable
			, , , , , , , , , , , , , , , , , , ,
14.4 Packing group			
Not given/not applicable	Not given/not applicable	Not given/not applicable	Not given/not applicable
14.5 Environmental hazards			
NO	NO	NO	NO
14.6 Special precautions for user			
Limited quantities Not given/not applicable	Limited quantities Not given/not applicable		Limited quantities Not given/not applicable
14.7 Maritime transport in bulk according to IMO instruments			
	Not given/not applicable		

## **SECTION 15: REGULATORY INFORMATION**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
  - Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (including last amendment Commission Regulation (EU) 2020/878)
  - Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures

Information according 2004/42/EC about limitation of emissions of volatile organic compounds (VOC-guideline) not applicable

Ingredients according to Regulation (EC) No 648/2004 on detergents

No information.

Special instructions

Observe the regulations on employment and protection against dangerous substances for young people, pregnant women and nursing mothers.

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

### **SECTION 16: OTHER INFORMATION**

Indication of changes

No information.

Key literature references and sources for data

No information.

Abbreviations and acronyms

ATE - Acute Toxicity Estimate

ADR - Agreement concerning the International Carriage of Dangerous Goods by Road

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

CEN - European Committee for Standardisation

C&L - Classification and Labelling

CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008

CAS# - Chemical Abstracts Service number

CMR - Carcinogen, Mutagen, or Reproductive Toxicant

CSA - Chemical Safety Assessment

CSR - Chemical Safety Report

DMEL - Derived Minimal Effect Level

DNEL - Derived No Effect Level

DPD - Dangerous Preparations Directive 1999/45/EC

DSD - Dangerous Substances Directive 67/548/EEC

DU - Downstream User

EC - European Community

ECHA - European Chemicals Agency

EC-Number - EINECS and ELINCS Number (see also EINECS and ELINCS)

EEA - European Economic Area (EU + Iceland, Liechtenstein and Norway)

EEC - European Economic Community

EINECS - European Inventory of Existing Commercial Substances

ELINCS - European List of notified Chemical Substances

EN - European Standard

EQS - Environmental Quality Standard

EU - European Union

Euphrac - European Phrase Catalogue

EWC - European Waste Catalogue (replaced by LoW - see below)

GES - Generic Exposure Scenario

GHS - Globally Harmonized System

IATA - International Air Transport Association

ICAO-TI - Technical Instructions for the Safe Transport of Dangerous Goods by Air

IMDG - International Maritime Dangerous Goods

IMSBC - International Maritime Solid Bulk Cargoes

IT - Information Technology

IUCLID - International Uniform Chemical Information Database

IUPAC - International Union for Pure Applied Chemistry

JRC - Joint Research Centre

Kow - octanol-water partition coefficient

LC50 - Lethal Concentration to 50 % of a test population

LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose)

LE - Legal Entity

LoW - List of Wastes (see http://ec.europa.eu/environment/waste/framework/list.htm)

LR - Lead Registrant

M/I - Manufacturer / Importer

MS - Member States

MSDS - Material Safety Data Sheet

OC - Operational Conditions

OECD - Organization for Economic Co-operation and Development

OEL - Occupational Exposure Limit

OJ - Official Journal

OR - Only Representative

OSHA - European Agency for Safety and Health at work

PBT - Persistent, Bioaccumulative and Toxic substance

PEC - Predicted Effect Concentration

PNEC(s) - Predicted No Effect Concentration(s)

PPE - Personal Protection Equipment

(Q)SAR - Qualitative Structure Activity Relationship

REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals (Regulation (EC) No 1907/2006)

RID - Regulations concerning the International Carriage of Dangerous Goods by Rail

RIP - REACH Implementation Project

RMM - Risk Management Measure

SCBA - Self-Contained Breathing Apparatus

SDS - Safety data sheet

SIEF - Substance Information Exchange Forum

SME - Small and Medium sized Enterprises

STOT - Specific Target Organ Toxicity

(STOT) RE - Repeated Exposure

(STOT) SE - Single Exposure

SVHC - Substances of Very High Concern

**UN - United Nations** 

vPvB - Very Persistent and Very Bioaccumulative

List of relevant H phrases

H272 May intensify fire; oxidiser.

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H310 Fatal in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.